

TROLLING MOTORS & ACCESSORIES

Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery

Trolling Motors

Bow Mount

Minn Kota	4-8
Motorguide.....	14-17

Engine Mount

Minn Kota.....	11
----------------	----

Outboard Motor

Minn Kota.....	10
----------------	----

Transom Mount

Minn Kota.....	9,10
Motorguide.....	17-19

Trim Tab Mount

Lenco	2,3
-------------	-----

Replacement Parts

Minn Kota.....	12,13
Motorguide.....	20

Trolling Motor Systems & Accessories

Navi-Gator	20
------------------	----

Trolling Motor Accessories

Angler's Pal	22
Big Foot	22
BoatBuckle.....	22
Johnny Ray.....	22,23
Marinco	23
Marine Works.....	23,24
Mar-Lan	24
Minn Kota.....	11
Motorguide.....	19,20
Panther	24
Pinpoint.....	21
R&R Design	24
Ram	24
Rod Saver.....	25
Springfield.....	25
Swivl-Eze	25
T-H Marine	25
TRAC	25,26
TrollMaster.....	26
Props	
Minn Kota.....	13,14
Motorguide.....	19
Young.....	21,22

Prices in this catalog are subject to change without notice. We are not responsible for errors in printing as a result of typing/proofing or misinformation of products supplied by manufacturers. We are not responsible for manufacturers' specifications that have changed since the publication date of this catalog. Only the warranties supplied by the manufacturers of the products listed are offered. Some products in this catalog are dangerous. We do not assume any liability for damage, injury or death which may result from the misuse of any of the products contained herein. The ultimate user or consumer should follow safe practices and carefully review all instructional material.

Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery



**LENCO™
LENCO DRIVE UNIT
(PRIMARY OR AUXILIARY PROPULSION)**

360° steering w/ininitely variable speed control. Saltwater digital motors w/full forward & reverse thrust. 24 volt actuators (2) with 6' leads and Deutsch connectors. Efficient Motorguide® Cool Wound™ motors. Electro-polished SS bracket & cavitation plate. Up to 8 hours of running time on a single charge. Systems available in 24 & 36 volt. **Two required to complete system.**
SEE CHART ON PAGE 3



**LENCO™
ELECTRIC
TROLL'N TAB
DRIVE UNIT**

Full function electric trim tabs underway that become trolling/propulsion motors at the touch of a button. 360° steering w/ininitely variable speed control. Saltwater digital motors w/full forward & reverse thrust. 12 volt actuators (2) with 6' leads and Deutsch connectors. Efficient Motorguide® Cool Wound™ motors. 2 SS trim tab blades. All SS mounting hardware. Systems available in 24 & 36 volt. **Two required to complete system.**
SEE CHART ON PAGE 3

ELECTRONICS/CONTROLLER KITS

**LENCO™
JOY RIDE STEERING SYSTEM**

360° steering w/ininitely variable speed control. Motor position switch w/indicator. Built-in motor retractor switch. Cruise control. Built-in system check and battery meter. L.E.D tactile keypad with a built-in motor retractor feature. Ambient light sensor adjusts L.E.D. brightness for optimum viewing in all light conditions. IP68 waterproof rating (3' submersible). Waterproof "Plug & Play" Deutsch connections. The TNT version contains an LED indicator switch for trim tab operations.
SEE CHART ON PAGE 3



**LENCO™
MICRO RIDE
STEERING SYSTEM**

360° joy stick steering w/ininitely variable speed control. Fully waterproof. Lenco Drive version includes Marine Switch to raise/lower motors. TNT version includes standard tactile switch to raise/lower motors & to control trim tabs.
SEE CHART ON PAGE 3



**LENCO™
WIRED FOOT
CONTROL SYSTEM**

Hands free maneuvering w/Lenco's variable speed digital foot control. Thrust steering allows 360° in length turning. Immediate feedback for accurate boat positioning. Foot control w/infinite variable speed. Vibration-free rubber padded motor mounts. Lenco Drive version includes Marine Switch to raise/lower motors. TNT version includes standard tactile switch to raise/lower motors & to control trim tabs.
SEE CHART ON PAGE 3



**LENCO™
HANDHELD WIRELESS
REMOTE SYSTEM**

Offers the convenience of complete control from any location on board whenever you need it. Includes lanyard for quick, easy access. Lenco Drive version includes Marine Switch to raise/lower motors. TNT version includes standard tactile switch to raise/lower motors & to control trim tabs.
SEE CHART ON PAGE 3



**LENCO™
ACTUATOR EXTENSION
HARNESSES**

Complete w/Deutsch connectors on both ends. One required for each actuator. Clamshell packaged.
SEE CHART ON PAGE 3



**LENCO™
OPTIONAL JOY RIDE™ & MICRO RIDE
BATTERY CABLE KIT**

Kit includes all necessary battery cables for proper installation.
SEE CHART ON PAGE 3

PROPULSION ACCESSORIES

**LENCO™
JOYSTICK MOUNTING POD**

3-1/2". To mount Joystick

Order #	Mfg. #	Sugg.Ret.
5204493	50233-001	\$38.99



**LENCO™
REMOTE CONTROL ONLY**

Replacement wireless keyfob

Order #	Mfg. #	Sugg.Ret.
5204495	30197-001	\$62.99



**LENCO™
REPLACEMENT PROP KIT/TNT & LD**

Prop nut, wrench, prop pin kit

Order #	Mfg. #	Sugg.Ret.
5204401	10654-001	\$37.99



**LENCO™
REPLACEMENT MOTORS
FOR LD/TNT SYSTEMS**

Digital motors for systems made 2008 & later. 1-year warranty.

Order #	Mfg. #	Style	Thrust	Sugg.Ret.
5204612	30400-001	24 Volt	82#	\$459.99
5204594	30401-001	36 Volt	105#	459.99



**LENCO™
LED INDICATOR
UPGRADE KIT**

Upgrade - LED Indicator Sw tch Kit for Micro Ride, Foot Control & Wireless Remote

Order #	Mfg. #	Sugg.Ret.
5204496	10975-001	\$274.99



2012 Lenco Drive Systems Ordering Guide

Order #	MFG. #	Sugg.Ret.	Description	24V SYSTEMS				36V SYSTEMS			
				Joy Ride LS System	Micro Ride LD System	Foot Pedal LD System	Wireless LD System	Joy Ride LS System	Micro Ride LD System	Foot Pedal LD System	Wireless LD System
Lenco Drive Unit - Single Unit - Must purchase 2 of the same number to begin system											
5204470	10954-024	\$791.99	24V Lenco Drive Unit	2	2	2	2				
5204482	10954-036	841.99	36V Lenco Drive Unit					2	2	2	2
Electronic Control Kits - Single Unit - Must purchase 1 to complete system											
5204485	10668-001	1114.99	JoyRide Series Electronics Kit	1				1			
5204487	10667-001	714.99	MicroRide Series Electronics Kit		1				1		
5204491	10970-001	414.99	Foot Control Series Electronics Kit (Wired)			1				1	
5204489	10972-001	435.99	Wireless Remote Series Electronics Kit				1				1
ACTUATOR EXTENSION CABLES - 1 may be required for each drive unit											
6216659	30133-001D	27.25	7FT. Actuator Extension								
6216660	30133-002D	31.99	14 FT. Actuator Extension	2	2	2	2	2	2	2	2
6216661	30133-103D	38.99	20 FT. Actuator Extension								
BATTERY CABLE KITS - Optional / Recommended - Choose desired voltage and length											
5204408	10701-001	115.99	2 Ft. 24V Battery Cable Kit	1	1	1	1				
5204407	10700-001	151.99	10 Ft. 24V Battery Cable Kit								
5204410	10701-002	122.99	2 Ft. 36V Battery Cable Kit					1	1	1	1
5204409	10700-002	158.99	10 Ft. 36V Battery Cable Kit								
WIRELESS 2ND STATION OPTION - To add wireless to existing hard-wired system.											
5204494	10976-001	424.99	Wireless Remote 2nd Station Kit	1	1	1	N/A	1	1	1	N/A

2012 Lenco TNT Trolling Systems Ordering Guide

Order #	MFG. #	Sugg.Ret.	Description	24V SYSTEMS				36V SYSTEMS			
				Joy Ride TNT System	Micro Ride TNT System	Foot Pedal TNT System	Wireless TNT System	Joy Ride TNT System	Micro Ride TNT System	Foot Pedal TNT System	Wireless TNT System
TNT Drive Unit - Single Unit - Must purchase 2 of the same number to begin system											
5204471	10969-024	\$782.99	24V 9"x12" TNT Drive Unit	2	2	2	2				
5204481	10956-024	782.99	24V 12"x12" TNT Drive Unit								
5204483	10969-036	832.99	36V 9"x12" TNT Drive Unit					2	2	2	2
5204484	10956-036	832.99	36V 12"x12" TNT Drive Unit								
Electronic Control Kits - Single Unit - Must purchase 1 to complete system											
5204486	10669-001	1232.99	JoyRide Series Electronics Kit	1				1			
5204488	10695-001	832.99	MicroRide Series Electronics Kit		1				1		
5204492	10971-001	532.99	Foot Control Series Electronics Kit (Wired)			1				1	
5204490	10973-001	558.99	Wireless Remote Series Electronics Kit				1				1
ACTUATOR EXTENSION CABLES - 1 may be required for each drive unit											
6216659	30133-001D	27.25	7FT. Actuator Extension								
6216660	30133-002D	31.99	14 FT. Actuator Extension	2	2	2	2	2	2	2	2
6216661	30133-103D	38.99	20 FT. Actuator Extension								
BATTERY CABLE KITS - Optional / Recommended - Choose desired voltage and length											
5204408	10701-001	115.99	2 Ft. 24V Battery Cable Kit	1	1	1	1				
5204407	10700-001	151.99	10 Ft. 24V Battery Cable Kit								
5204410	10701-002	122.99	2 Ft. 36V Battery Cable Kit					1	1	1	1
5204409	10700-002	158.99	10 Ft. 36V Battery Cable Kit								
WIRELESS 2ND STATION OPTION - To add wireless to existing hard-wired system.											
5204494	10976-001	424.99	Wireless Remote 2nd Station Kit	1	1	1	N/A	1	1	1	N/A

Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery



Universal Sonar

Autopilot

i-Pilot



MINN KOTA® TERROVA™ - BOW MOUNT

Built with power and uncompromising strength. Easy-to-use handle and fallaway ramps. Balanced motor design allows easy stowing. Special master cut-off switch automatically turns power off when stowed. Waterproof, low-profile, electric steer foot pedal w/18' cord for precise control, less than 1° steering resolution. 2 steering options: heel/toe or left/right steering buttons. Includes rotary speed dial, AutoPilot on/off button and mom/con on toggle. Works in conjunction w/CoPilot™ accessory. Digitally controlled AutoPilot™ delivers infinitely variable steering adjustments, smooth course corrections, tighter heading accuracy, ultimate boat-control advantage. CoPilot compatible. Universal Sonar 2 models available. Digital Maximizer™. Indestructible composite shaft. Cool quiet power. Weedless Wedge™ 2 prop. See page 11 for i-Pilot features.

	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.	
	5204248	1358801	Terrova™ 55	54"	55#	12	Terrova™	Variable	21'	\$786.75	
	5204255	1358810	Terrova™ 80	54"	80#	24	Terrova™	Variable	25'	1066.50	
	5204256	1358811	Terrova™ 80	60"	80#	24	Terrova™	Variable	25'	1076.50	
	w/AUTOPILOT										
Boat Access.	5204251	1366100	Terrova™ 55/AP	48"	55#	12	Terrova™	Variable	21'	989.99	
	5204252	1366101	Terrova™ 55/AP	54"	55#	12	Terrova™	Variable	21'	999.75	
	5204259	1366110	Terrova™ 80/AP	54"	80#	24	Terrova™	Variable	25'	1269.99	
	5204260	1366111	Terrova™ 80/AP	60"	80#	24	Terrova™	Variable	25'	1279.75	
	w/UNIVERSAL SONAR* 2										
	5204249	1358850	Terrova™ 55/US2	48"	55#	12	Terrova™	Variable	21'	889.99	
	5204257	1358860	Terrova™ 80/US2	54"	80#	24	Terrova™	Variable	25'	1169.99	
	5204258	1358861	Terrova™ 80/US2	60"	80#	24	Terrova™	Variable	25'	1179.75	
	w/UNIVERSAL SONAR* 2 & i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - INCLUDES FOOT PEDAL										
	5204878	1358854	Terrova™ 55/US2/i-Pilot	45"	55#	12	Terrova™	Variable	21'	1209.99	
	5204879	1358853	Terrova™ 55/US2/i-Pilot	54"	55#	12	Terrova™	Variable	21'	1219.99	
Lighting	5204880	1358864	Terrova™ 80/US2/i-Pilot	45"	80#	24	Terrova™	Variable	25'	1449.99	
	5204881	1358865	Terrova™ 80/US2/i-Pilot	60"	80#	24	Terrova™	Variable	25'	1469.99	
	5204919	1358874	Terrova™ 101/US2/i-Pilot	54"	101#	36	Terrova™	Variable	25'	1649.99	
Boat Seats	5204882	1358873	Terrova™ 101/US2/i-Pilot	60"	101#	36	Terrova™	Variable	25'	1659.99	
	w/UNIVERSAL SONAR* 2 & AUTOPILOT										
	5204253	1366150	Terrova™ 55/AP/US2	48"	55#	12	Terrova™	Variable	21'	1089.99	
	5204254	1366151	Terrova™ 55/AP/US2	54"	55#	12	Terrova™	Variable	21'	1099.99	
Boat Covers	5204261	1366160	Terrova™ 80/AP/US2	54"	80#	24	Terrova™	Variable	25'	1366.25	
	5204262	1366161	Terrova™ 80/AP/US2	60"	80#	24	Terrova™	Variable	25'	1376.25	
	5204270	1366171	Terrova™ 101/AP/US2	60"	101#	36	Terrova™	Variable	25'	1586.50	

*Universal Sonar Units Require Purchase of US2 Adaptor Cables

MINN KOTA® FORTREX - BOW MOUNT

Innovative Mono Arm design. Single hinge point has fewer moving parts than traditional scissors mount and has a rear pivot bearing that is 20x larger. Counter-Tension Stability (CTS) design features an integrated spring arm that applies force in both the stowed & deployed positions. Marine-grade anodized extruded aluminum structural beam design. All metal interfaces are isolated w/composite bushings. Side plates have replaceable nylon motor rest inserts. 7/16" diameter pivot pin. Extruded marine-grade aluminum bow plate. Removable Bow Guard 360™. Incorporates enhanced patented Lift-Assist design. Control box is a hybrid composite material improving impact resistance. Lighted directional indicator. Non-marring soft grip rope handle w/improved abrasion resistance. Integrated* bow mount stabilizer comes standard on all Fortrex except 80 lb. 45" models.

Universal Sonar



	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.	
	5204422	1368660	Fortrex 80	45"	80#	24	Bowguard 360™	Variable	25'	\$1149.99	
	5204423	1368661	Fortrex 80	52"	80#	24	Bowguard 360™	Variable	25'	1179.75	
	5204424	1368662	Fortrex 80	62"	80#	24	Bowguard 360™	Variable	25'	1209.25	
	5204428	1368680	Fortrex 101	45"	101#	36	Bowguard 360™	Variable	25'	1249.99	
	5204429	1368681	Fortrex 101	52"	101#	36	Bowguard 360™	Variable	25'	1279.50	
Motor Access.	5204430	1368682	Fortrex 101	62"	101#	36	Bowguard 360™	Variable	25'	1308.99	
	w/UNIVERSAL SONAR 2*										
	5204425	1368670	Fortrex 80/US2	45"	80#	24	Bowguard 360™	Variable	25'	1249.99	
	5204426	1368671	Fortrex 80/US2	52"	80#	24	Bowguard 360™	Variable	25'	1279.99	
Camping	5204427	1368672	Fortrex 80/US2	62"	80#	24	Bowguard 360™	Variable	25'	1309.50	
	5204431	1368690	Fortrex 101/US2	45"	101#	36	Bowguard 360™	Variable	25'	1349.99	
	5204432	1368691	Fortrex 101/US2	52"	101#	36	Bowguard 360™	Variable	25'	1379.99	
Cutlery	5204433	1368692	Fortrex 101/US2	62"	101#	36	Bowguard 360™	Variable	25'	1409.99	

*Universal Sonar Units Require Purchase of US2 Adaptor Cables



**MINN KOTA®
MAXXUM® - BOW MOUNT**

Cool quiet power. Indestructible composite shaft. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Weedless Wedge™ 2 prop. Cable steer control. Lighted directional indicator. Cable steer foot pedal, ergonomically designed for all-day comfort, heel/toe action, easy-to-use, provides complete control. **NOTE: Hand Control Models:** Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Downward tilt feature for compact storage. Handle extends 6".

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
w/FOOT CONTROL									
5201960	1368550	Max 55/SC	42"	55#	12	Bowguard 360°™	5	21'	\$689.99
5201961	1368551	Max 55/SC	52"	55#	12	Bowguard 360°™	5	21'	719.75
5201962	1368553	Max 55	42"	55#	12	Bowguard 360°™	Variable	21'	779.99
5201963	1368554	Max 55	52"	55#	12	Bowguard 360°™	Variable	21'	798.99
5201909	1368560	Max 70/SC	42"	70#	24	Bowguard 360°™	5	23'	729.99
5201906	1368561	Max 70	42"	70#	24	Bowguard 360°™	Variable	23'	799.99
5201907	1368562	Max 70	52"	70#	24	Bowguard 360°™	Variable	23'	829.75
5201912	1368580	Max 80	42"	80#	24	Bowguard 360°™	Variable	25'	999.99
5201913	1368581	Max 80	52"	80#	24	Bowguard 360°™	Variable	25'	1059.99
5201958	1368600	Max 101	42"	101#	36	Bowguard 360°™	Variable	25'	1099.99
5201959	1368601	Max 101	52"	101#	36	Bowguard 360°™	Variable	25'	1159.99
w/HAND CONTROL									
5204434	1368620	Max 55 SC/Hand	52"	55	12	Bowguard 360°	5/3	21'	539.99
5204435	1368630	Max 70 SC/Hand	52"	70#	24	Bowguard 360°	5/3	23'	729.99
5204436	1368640	Max 80 BG/Hand	52"	80#	24	Bowguard 360°	Variable	25'	899.99
5204437	1368650	Max 101 BG/Hand	52"	101#	36	Bowguard 360°	Variable	25'	989.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables



**MINN KOTA®
2012 EDGE BOW-MOUNT**

Cool quiet power. No-nonsense performance. Extruded upper arm made from Marine-grade anodized aluminum is built for years of trouble-free use. Redesigned motor head constructed of highly impact-resistant, hybrid composite material. Head integrates a high visibility directional indicator. Cable boot integrated into control box. **NOTE: Hand Control Models:** Tilt Twist Tiller™ multi-position handle provides natural OB convenience, quick access and instant response. **Foot Control Models:** Ultra-responsive foot pedal ergonomically designed for all-day comfort, easy-to-use, heel/toe action provides reliable, responsive cable steering control.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
w/FOOT CONTROL										
5204867	1355946	Edge 45	36"	45#	12	Latch & Door	Power Prop	5	18'	\$359.99
5204868	1355947	Edge 45	45"	45#	12	Latch & Door	Power Prop	5	18'	369.99
5204869	1355948	Edge 45	50"	45#	12	Latch & Door	Power Prop	5	18'	399.99
5204871	1355956	Edge 55	45"	55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	509.99
5204872	1355957	Edge 55	52"	55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	539.99
5204874	1355970	Edge 70	45"	70#	24	Latch & Door	Weedless Wedge™ 2	5	23'	569.99
5204875	1355971	Edge 70	52"	70#	24	Latch & Door	Weedless Wedge™ 2	5	23'	599.99
w/HAND CONTROL										
5204870	1355945	Edge 45/H	45"	45#	12	Latch & Door	Power Prop	5/3	18'	279.99
5204873	1355955	Edge 55/H	52"	55#	12	Latch & Door	Weedless Wedge™ 2	5/3	21'	459.99

- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports
- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers
- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery



**MINN KOTA®
EDGE/PIRANHAMAX 150 PACKAGE**

Edge Bow-Mount: Cool quiet power. No-nonsense performance. Extruded upper arm made from Marine-grade anodized aluminum is built for years of trouble-free use. Redesigned motor head constructed of highly impact-resistant, hybrid composite material. Head integrates a high visibility directional indicator. Cable boot integrated into control box. Ultra-responsive foot pedal ergonomically designed for all-day comfort, easy-to-use, heel/toe action provides reliable, responsive cable steering control. **PiranhaMax 150:** Easy One-Touch™ control accesses full set of advanced features - Fish ID+, fish alarms, depth alarms, zoom and more. Water temp included. Ultra-compact size mounts almost anywhere. Built marine tough & waterproof. 4-level grayscale on the 4" diagonal, 160Vx128H mono-chrome FSTN LCD screen. Single beam 200kHz/20°. 800 watts peak-to-peak. 100 watts RMS. Water temp included. Depth to 600'. Tilt mount.



Order #	Mfg. #	Sub-Model	Column Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204897	1355952	Edge 55	45" 55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	\$509.99
5204898	1355953	Edge 55	52" 55#	12	Latch & Door	Weedless Wedge™ 2	5	21'	524.99



Universal Sonar

Autopilot

i-Pilot

**MINN KOTA®
POWERDRIVE™ V2 - BOW MOUNT**

Cool quiet power. Ergonomically designed foot pedal offers precise speed adjustment, right/left steering, momentary and constant On/Off, high IP68 waterproof rating and 18' cord. Deploy-assist lever puts user in motion quickly and easily and provides easy, secure stowing. AutoPilot™ gives unparalleled navigational control, patented compass keeps boat on course even in adverse weather. Indestructible composite shaft. Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. CoPilot™ handheld remote (**Sold Separately**) allows speed/steering control from anywhere on boat. See page 11 for i-Pilot features.

Order #	Mfg. #	Sub-Model	Column Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204537	1358704	45PD V2	48" 45#	12	PowerDrive™	Weedless Wedge™ 2	Variable	18'	\$449.99
5204225	1358705	50PD V2	48" 50#	12	PowerDrive™	Weedless Wedge™ 2	Variable	20'	559.99
5204227	1358710	55PD V2	48" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	559.99
5204228	1358711	55PD V2	54" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	569.75
5204235	1358715	65PD V2	54" 65#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	729.99
5204237	1358720	70PD V2	54" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	729.99
5204238	1358721	70PD V2	60" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	739.75

w/i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM -NO FOOT PEDAL

5204883	1358740	55PD V2/i-Pilot	48" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	899.99
5204884	1358741	55PD V2/i-Pilot	54" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	909.99
5204886	1358726	70PD V2/i-Pilot	54" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1059.99

w/AUTOPILOT

5204231	1366200	55PD V2/AP	48" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	759.99
5204232	1366201	55PD V2/AP	54" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	769.75
5204241	1366210	70PD V2/AP	54" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	929.99
5204242	1366211	70PD V2/AP	60" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	939.75

w/UNIVERSAL SONAR* 2

5204229	1358750	55PD V2/US2	48" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	659.99
5204230	1358751	55PD V2/US2	54" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	639.99
5204239	1358755	70PD V2/US2	54" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	829.99
5204240	1358756	70PD V2/US2	60" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	839.75

w/UNIVERSAL SONAR* 2 & i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM -NO FOOT PEDAL

5204885	1358753	55PD V2/US2/i-Pilot	54" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	999.99
5204887	1358758	70PD V2/US2/i-Pilot	60" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1159.99

w/UNIVERSAL SONAR* 2 & AUTOPILOT

5204233	1366250	55PD V2/AP/US2	48" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	859.99
5204234	1366251	55PD V2/AP/US2	54" 55#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	869.75
5204243	1366260	70PD V2/AP/US2	54" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1029.99
5204244	1366261	70PD V2/AP/US2	60" 70#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	1039.75

POWERDRIVE PONTOON w/QUICK RELEASE BRACKET

5204245	1358712	54PD V2	48" 54#	12	PowerDrive™	Weedless Wedge™ 2	Variable	21'	559.99
5204246	1358722	68PD V2	48" 68#	24	PowerDrive™	Weedless Wedge™ 2	Variable	23'	629.99

*Universal Sonar Units Require Purchase of US2 Adaptor Cables



**MINN KOTA®
PONTOON BOW-MOUNT**

Updated, sleek design. Cool, quiet power. Control speed & steering with the Hand Control motor's Tilt Twist Tiller™. Compact mount frees up more deck space. Compatible with Quick Release Brackets (sold separately). Composite shaft. Weedless Wedge™ 2 prop.


Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204876	1355954	Pontoon55/Hand	52"	55#	12	Latch & Door	5/3	21'	\$399.99
5204877	1355975	Pontoon70/Hand	52"	70#	24	Latch & Door	5/3	25'	499.99



- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports

**MINN KOTA®
RIPTIDE® SP - BOW MOUNT**

Cool quiet power. Optimized saltwater performance. Reengineered electric steer control. Indestructible composite shaft. Deploy-assist lever provides quick motion, easy/secure stowing. CoPilot™ remote gives freedom to operate from anywhere on boat. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion. Optional corded or wireless foot pedals offer side-to-side steering, momentary/constant on switch, speed control knob for precise adjustments and 18' cable with IP68-rated waterproof connector plug. Weedless Wedge™ 2 prop. See page 11 for i-Pilot features.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204272	1363550	RT55/SP/CP	48"	55#	12	PowerDrive™	Variable	21'	\$719.99
5204274	1363560	RT70/SP/CP	54"	70#	24	PowerDrive™	Variable	23'	859.99
w/AUTOPILOT									
5204273	1363570	RT55/SP/CP/AP	48"	55#	12	PowerDrive™	Variable	21'	919.99
5204275	1363580	RT70/SP/CP/AP	54"	70#	24	PowerDrive™	Variable	23'	1059.99
w/ i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - WITHOUT FOOT PEDAL									
5204895	1363553	RT55/SP/IP	48"	55#	12	PowerDrive™	Variable	21'	999.99
5204896	1363563	RT70/SP/IP	54"	70#	24	PowerDrive™	Variable	23'	1139.99

- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers

**MINN KOTA®
RIPTIDE® ST - BOW MOUNT**

Saltwater powerhouse. The easy-to-use handle and fallaway ramps on the stow/deploy mechanism lets you effortlessly move your motor in and out of the water. The balanced motor design makes stowing easy, and a special master cut-off switch automatically turns the power off when stowed. AutoPilot™: Digitally controlled. Gives unparalleled navigational control. The patented compass in AutoPilot™ keeps your boat traveling on course, even through heavy wind or chop. Standard CoPilot gives you control of speed, steering and On/Off controls, along with a high speed bypass control for instant full power. Composite shaft is impervious to the corrosive effects of saltwater. Will not break, kink or corrode. Maximizer technology controls the draw of power at variable speeds. Weedless Wedge™ 2 prop. Optional corded foot pedal available. See page 11 for i-Pilot features.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204317	1363760	RT80/ST/CP	54"	80#	24	Terrova™	Variable	\$1149.99
5204318	1363761	RT80/ST/CP	60"	80#	24	Terrova™	Variable	1199.75
w/AUTOPILOT								
5204891	1363700	RT55/ST/CP/AP	48"	55#	12	Terrova™	Variable	1109.99
5204319	1363710	RT80/ST/CP/AP	54"	80#	24	Terrova™	Variable	1399.99
5204320	1363711	RT80/ST/CP/AP	60"	80#	24	Terrova™	Variable	1359.99
5204321	1363720	RT101/ST/CP/AP	54"	101#	36	Terrova™	Variable	1599.99
5204322	1363721	RT101/ST/CP/AP	60"	101#	36	Terrova™	Variable	1609.75
w/ i-PILOT™ WIRELESS GPS BASED TROLLING MOTOR SYSTEM - WITHOUT FOOT PEDAL								
5204892	1363704	RT55/ST/IP	54"	55#	12	Terrova™	Variable	1179.99
5204893	1363714	RT80/ST/IP	54"	80#	24	Terrova™	Variable	1439.99
5204918	1363715	RT80/ST/IP	60"	80#	24	Terrova™	Variable	1449.99
5204894	1363723	RT101/ST/IP	60"	101#	36	Terrova™	Variable	1749.99

- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery



Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery



MINN KOTA® RIPTIDE® SF - BOW MOUNT

Designed for professionals & saltwater guides. Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Handle extends 6". Cool, quiet power. Lift-Assist stow & deploy w/heavy-duty gas-charged spring, cuts weight of lifting motor 50%. Mounting system w/heavy-duty, saltwater-engineered, corrosion-resistant stainless steel spring; breaks away on impact from any direction, automatically resets itself and protects motor/bow from hidden obstacles, detaches for added convenience. Indestructible composite shaft. Weedless Wedge™ 2 prop. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204445	1363640	RT SF80/BG/H	52"	80#	24	Bowguard 360°™	Variable	25'	\$1059.99
5204446	1363641	RT SF80/BG/H	62"	80#	24	Bowguard 360°™	Variable	25'	1089.50
5204447	1363650	RT SF101/BG/H	52"	101#	36	Bowguard 360°™	Variable	25'	1139.99
5204448	1363651	RT SF101/BG/H	62"	101#	36	Bowguard 360°™	Variable	25'	1169.75



MINN KOTA® RIPTIDE® SE - BOW-MOUNT

Cool, quiet power. Ergonomically contoured Tilt/Extend Tiller handle can both tilt (up to 45°) & extend (up to 6") to fit any style of fishing, and it tilts downward for easy storage. A digital battery indicator is located right on the motor head. Extruded, anodized aluminum arm. Quick-Lock cam depth adjuster. Indestructible composite shaft flexes on impact & won't break, kink or corrode. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Weedless Wedge™ 2 prop. Sacrificial anode protects motor from galvanic corrosion.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204889	1355915	RT55/SE/B/Hand	52"	55#	12	Compact Latch & Door	Variable	21'	\$649.99
5204890	1355920	RT70/SE/B/Hand	52"	70#	24	Compact Latch & Door	Variable	23'	779.99



MINN KOTA® RIPTIDE® SALTWATER - BOW MOUNT

Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Handle extends 6". Cool, quiet power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Indestructible composite shaft. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Weedless Wedge™ 2 prop. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion. Three-Year Warranty.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
SM SERIES, w/TILT TWIST TILLER™									
5204451	1363420	RT55/SM/L&D/SC	42"	55#	12	Latch & Door	5/3	23'	\$569.99
5204452	1363421	RT55/SM/L&D/SC	52"	55#	12	Latch & Door	5/3	23'	630.99
5204453	1363422	RT55/SM/L&D	52"	55#	12	Latch & Door	Variable	23'	679.99
5204454	1363425	RT70/SM/L&D/SC	52"	70#	24	Latch & Door	5/3	23'	679.99
5204456	1363445	RT80/SM/BG	52"	80#	24	Bowguard 360°™	Variable	25'	909.99
5204455	1363447	RT80/SM/L&D	52"	80#	24	Latch & Door	Variable	25'	889.99
5204457	1363446	RT80/SM/BG	62"	80#	24	Bowguard 360°™	Variable	25'	929.25
5204459	1363468	RT101/SM/BG	62"	101#	36	Bowguard 360°™	Variable	25'	1009.99



MINN KOTA® ENDURA C2 - TRANSOM MOUNT

5-Speed. Cool, quiet power. 6" telescoping ergonomic-designed handle. Indestructible composite shaft. Strong, 10-position Lever Lock Bracket mount is constructed of special composite materials that resists flexing, warping & UV damage. Two-year warranty.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	Prop	FWD/REV	Boat Length	Sugg.Ret.
5204581	1352230	Endura C2 30	30"	30#	12	Lever Lock Bracket	Power Prop	5/3	14'	\$110.99
5204582	1352240	Endura C2 40	36"	40#	12	Lever Lock Bracket	Power Prop	5/3	17'	176.99
5204583	1352245	Endura C2 45	36"	45#	12	Lever Lock Bracket	Power Prop	5/3	18'	203.99
5204584	1352250	Endura C2 50	36"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	228.99
5204585	1352251	Endura C2 50	42"	50#	12	Lever Lock Bracket	Power Prop	5/3	20'	238.99
5204586	1352255	Endura C2 55	36"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	246.99
5204587	1352256	Endura C2 55	42"	55#	12	Lever Lock Bracket	Power Prop	5/3	21'	256.99

MINN KOTA® TRAXXIS - TRANSOM MOUNT

Transom motor platform improves every functional aspect of the on-the-water experience. Motor deploys to 10 different positions. Easily accessible thumb release provides simple deploy operation. Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Handle extends 6". Quick-Lock cam design for depth adjustment. Steering tension/vertical stow collar improves steering tension & allows the motor to be stowed in a vertical position. Push-to-test battery meter integrated into head.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204539	1368706	Traxxis 45/SC	36"	45#	12	Metal 10-Position	5/3	\$219.99
5204540	1368707	Traxxis 45	36"	45#	12	Metal 10-Position	Variable	329.99
5204440	1368710	Traxxis 55/SC	36"	55#	12	Metal 10-Position	5/3	289.99
5204441	1368715	Traxxis 55	36"	55#	12	Metal 10-Position	Variable	399.99
5204442	1368716	Traxxis 55	42"	55#	12	Metal 10-Position	Variable	404.99
5204443	1368720	Traxxis 70	42"	70#	24	Metal 10-Position	Variable	459.99
5204444	1368730	Traxxis 80	42"	80#	24	Metal 10-Position	Variable	569.99

MINN KOTA® VANTAGE® - TRANSOM MOUNT

Cool quiet power. 4.1 Steering: moving Tilt/Extend 45° changes lower unit full 180°, eliminates tiller interference with outboard or kicker motor. Power Trim: push of button raises or lowers motor to meet changing depth and fishing conditions. Power Stow and Deploy: automatically raises motor to stowed position. Tilt/Extend tiller extends 31" to give better control from inside back of boat, tilts up/down for greater comfort and steering control. Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. Breakaway mount automatically breaks away on impact, resets itself, protects motor from hidden hazards. Backroll instantly by lifting directional indicator, rotating 180° and setting back down. Indestructible composite shaft. Weedless Wedge™ 2 prop.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5201940	1352625	Vantage 80	Variable	80#	24	Metal Breakaway	Variable	25'	\$1249.99
5201983	1352638	Vantage 101	Variable	101#	36	Metal Breakaway	Variable	25'	1399.99



- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports
- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers
- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery



MINN KOTA® RIPTIDE® SALTWATER - TRANSOM MOUNT

Tilt Twist Tiller. Ergonomic contoured tiller handle design incorporates both tilt and extension functions. 45° upward tilt. Downward tilt feature for compact storage. Handle extends 6". Cool quiet power. Digital Maximizer™ controls draw of power at infinitely variable speeds, eliminates wasted energy, conserves battery power. Advanced Corrosion Protection: virtually impervious to rust - metals undergo rigid multi-step cleaning process before being anodized/coated with special zinc dichromate armor plating. All components are finished with 5-mil TGIC polyester, powder-coat paint. Indestructible composite shaft. Weedless Wedge™ 2 prop. Fully encapsulated electronics form impregnable barrier against destructive effects of saltwater. Sacrificial anode protects motor from galvanic corrosion.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204541	1363805	RT45/S	36"	45#	12	Metal 10-Position	5/Multiple	18'	\$299.99
5204461	1363810	RT50/SC/S	42"	50#	12	Metal 10-Position	5/Multiple	20'	359.99
5204462	1363820	RT55/S	36"	55#	12	Metal 10-Position	Variable	21'	519.99
5204463	1363821	RT55/S	42"	55#	12	Metal 10-Position	Variable	21'	524.99
5204464	1363830	RT80/S	42"	80#	24	Metal 10-Position	Variable	25'	669.99
5204465	1363840	RT101/S	52"	101#	36	Metal 10-Position	Variable	25'	739.99

Mooring/
Docking

Hardware

MINN KOTA® WATERFOWL EDITION - TRANSOM MOUNT

Built to take on the elements. Advantage Wetlands Camo® 44 motor and shaft for ultimate concealment. Tilt Twist Tiller™ multi-position handle provides natural OB convenience, quick access and instant response. Indestructible composite shaft. Weedless Wedge™ prop. Lifetime Warranty.



Order #	Mfg. #	Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204888	1351922	Waterfowl	36"	45#	12	Lever Lock Bracket	5/3	18'	\$259.99
5204372	1351927	Waterfowl	36"	55#	12	Lever Lock Bracket	5/3	21'	299.99

Boat Seats

Boat Covers

Fuel

MINN KOTA® E-DRIVE ELECTRIC OUTBOARD MOTOR w/TILT TILLER

For "gasoline restricted" fishing lakes. Convenient Tilt Tiller provides propulsion and comfortable, ergonomic control. Ultra-responsive throttle lever has forward, neutral and reverse positions. Includes key lock-out and trim switch. Back-lit Realtime Digital Battery Gauge, gives instant reading of how many hours of runtime are left on battery, fuel gauge showing battery condition and throttle power level. Bracket mounts easily to most aluminum V-hull boats. Stainless steel prop. Mounts on either binnacle or side-mount at cockpit. Built-in Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge.



Order #	Mfg. #	Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5204271	1371012	E-Drive Tiller	20"	2 hp	48	Clamp-on Transom	Variable	25'	\$2699.99

Electrical

Maintenance

Controls/
Steering

MINN KOTA® E-DRIVE ELECTRIC OUTBOARD MOTOR

For lakes with environmental or gasoline outboard restrictions. Quiet 2HP power plant moves full-size pontoon boat up to 5 mph. Efficient 48V system allows up to 2-hour run at 100% power on single charge. Ultra-responsive throttle lever has forward, neutral and reverse positions. Includes key lock-out and trim switch. Back-lit Realtime Digital Battery Gauge, gives instant reading of how many hours of runtime are left on battery, fuel gauge showing battery condition and throttle power level. Stainless steel prop. Built-in Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. Cable steering compatible, connects directly to boat's cable steer linkage. Dash-mounted tilt gauge gives instant readout of motor position. Mount includes power-tilt mechanism and built-in break-away mount that protects boat from underwater collisions.



Order #	Mfg. #	Model	Column	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
5201680	1371010	E-Drive	20"	2 hp	48	Bolt-on Transom	Variable	25'	\$2699.99

Cutlery

Motor
Access.

Camping



MINN KOTA® EM SERIES - ENGINE MOUNT

Cool quiet power. Composite bracket will not interfere with normal performance of outboard or I/O motor. Mounts on cavitation plate of OB or I/O lower unit. No stowing/deploying required. Completely out-of-sight. Keeps deck clear and recreational boats from looking like fishing boats. Once on plane, EM rides completely out of water. Control speed with 18' corded remote that can be mounted or handheld. Offers infinitely variable speed control in forward or reverse. Features neutral (off) detent position. Motor can be steered using boat steering wheel or outboard tiller. Electronics are housed in fully waterproof control module mounted below deck. Electronics are sealed in marine-grade polyurethane for corrosion-proof protection. Extruded aluminum housing features specially designed fins that dissipate heat to keep things cool under high rpm use. Digital Maximizer™ delivers precise amount of power needed, extends battery life, reduces damaging heat, runs 5x longer on single charge. Weedless Wedge™ 2 prop.

Order #	Mfg. #	Sub-Model	Thrust	Volts	Mount	FWD/REV	Boat Length	Sugg.Ret.
MK SERIES FRESHWATER								
5202069	1370610	MK55EM	55#	12	Single-Composite	Variable	18'	\$619.99
5202080	1370620	MK80EM	80#	24	Single-Composite	Variable	20'	819.99
5202120	1370630	MK101EM	101#	36	Single-Composite	Variable	22'	919.99
RIPTIDE SERIES SALTWATER								
5202136	1370615	RT55EM	55#	12	Single-Composite	Variable	18'	669.99
5202137	1370625	RT80EM	80#	24	Single-Composite	Variable	20'	869.99
5202139	1370645	RT160EM	160#	24	Dual-Composite	Variable	24'	1069.99

MINN KOTA® UNIVERSAL SONAR 2 ADAPTER CABLES

Adapters connect motor to favorite brand of sonar or fishfinder (200kHz and 200kHz/83kHz DualBeam PLUS compatible). Utilize dual beam compatibility to see water at 20° and 60° angles, or combine the views.



Order #	Mfg. #	Model	Fits	Sugg.Ret.
5204297	1852061	MKR-US2-1	Garmin®	\$29.99
5204302	1852068	MKR-US2-8	Humminbird 7-pin	29.99
5204303	1852069	MKR-US2-9	Lowrance/Eagle Blk.D	29.99
5204304	1852060	MKR-US2-10	Lowrance/Eagle Blue	29.99
5204305	1852080	MKR-US2-11	Universal Extension	29.99

See pages 4,6 & 7 for
motors w/i-pilot installed



MINN KOTA® 2012 i-PILOT™

Ergonomically redesigned remote. 20% larger LCD screen, high-visibility laser-etched buttons & an easy-access external battery compartment. Compact, watertight & easy to use, this remote gives you instant feedback on active functions, speed, prop on/off status, battery power & GPS signal strength. **Record A Track** - can record your track, then retrace the path automatically. Up to 6 different tracks can be stored & recalled. **Spot Lock** - works like an electronic anchor. Automatically corrects for wind, drift or waves. Recall feature allows you to return to a stored Spot-Lock location. Stores up to 6 locations. **Advanced Auto Pilot** - projects a series of waypoints based on motor position. Will maintain the boat's heading while compensating for wind, current & drift. Standard AutoPilot™ will remain as a function for unique situations. **Cruise Control** - uses GPS to maintain actual "on-the-water" MPH rather than trolling motor speed. **CoPilot** - Control speed, steering, prop on/off and high-speed bypass - our "legendary" CoPilot functions - from your i-Pilot remote. Free yourself from the foot pedal and fish from anywhere on the boat. Backlit for low light situations. Fully gasketed, water tight & floatable. Neck lanyard & carabiner included.



Order #	Mfg. #	Type	Sugg.Ret.
5204862	1866300	For Terrova Trolling Motors	\$449.99
5204863	1866310	For PowerDrive V2 Trolling Motors	449.99
5204864	1866305	For Riptide ST Trolling Motors	449.99
5204865	1866315	For Riptide SP Trolling Motors	449.99
REPLACEMENT PARTS			
5204866	1866350	Replacement Remote	159.99

MINN KOTA® COPILOT™ SYSTEM

Wireless control for PowerDrive™, PowerDrive™ w/AutoPilot™ & Riptide™ /AutoPilot™. Plug-n-Play design allows easy hook-up. Receiver mounts to right side plate. Design allows trolling motor to be controlled from rod, wrist or belt. Functions: Steering (right & left), on/off & speed control. Quick-release rod mounts allow for easy transfer of transmitter from rod-to-rod. Includes: receiver, remote, 3 quick-release rod mounts and Velcro® wrist/belt strap.



Order #	Mfg. #	Type	Sugg.Ret.
COPILOT™ WIRELESS SYSTEM			
5201748	1866100	Legacy PowerDrive	\$149.99
5204306	1866150	PowerDrive V2	149.99
5204307	1866160	Terrova	199.99
REPLACEMENT PARTS			
5201746	1866120	Repl. Transmitter - Legacy PD & V2	49.99
5204296	1866170	Repl. Transmitter - Terrova & RT/ST	69.99



- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports
- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers
- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery



**MINN KOTA®
REPLACEMENT PARTS**

	Order #	Mfg. #	Model	Type	Sugg.Ret.
Boat Access.	BATTERY & CHARGING ACCESSORIES				
	5204290	1865108	MKR-21	AC Power Port (Black)	\$14.99
	5204350	1865110	MKR-23	AC Power Port (White) Saltwater Applications	14.99
Mooring/Docking	BOW MOUNT STABILIZER KIT				
	5201471	1862013	MKA-4	Bow mount-designed shock absorber for Maxxum & Riptide, Velcro® strap, w/hardware	29.99
Hardware	BRACKET-QUICK RELEASE				
	5201448	1862016	MK52/62	Max/RT Quick Release (Long: 52"/62" Shafts) Scissor Mount.	149.99
	5201637	1854013	MKA-16-02	PowerDrive or AutoPilot Quick Release	49.99
	5201341	1862014	MKA-42	Maxxum (Short bracket) 42", Solid anodized aluminum, great for fresh or saltwater applications, lifetime guarantee, simple installation Scissor Mount. PK2.	129.99
Lighting	5202009	1854017	RTA-17	Riptide, Composite PD/AP QRB	79.99
	5202041	1854021	MKA-21	PowerDrive or PowerDrive w/AP Composite	79.99
	5204292	1854060	MKA-32	Electric Steer -Terrova, PowerDrive V2 or PowerDrive	129.99
Boat Seats	BRACKET-QUICK RELEASE SCISSORS MOUNT				
	5202011	1854019	RTA-19	For Riptide, Composite,	99.99
	5202031	1854023	MKA-23	Maxxum Pro, Maxxum Plus "Edge" or All Terrain Composite	99.99
Boat Covers	CIRCUIT BREAKER				
	5202013	1865106	MKR-19	60A, Waterproof	39.99
Fuel	EXTENSION HANDLE				
	5200898	1854100	MKA-7	30" long	29.99
	5201519	1854101	MKA-18	18" long.	19.99
Trailers/ATV Access.	5204353	1854107	MKA-43	Telescopic 17"-25"	24.99
	5204354	1854108	MKA-44	Telescopic 24"-40"	39.99
Pumps	FOOT PEDAL				
	5204293	1866065		Riptide SP Foot Pedal (Corded)	99.99
	5204294	1866075		Riptide ST Foot Pedal (Corded)	149.99
	5204346	1866040		Replacement PowerDrive Foot Pedal (Corded)	99.99
	5204591	1866066		Replacement PowerDrive V2 Foot Pedal (Corded)	99.99
Electrical	5204295	1866055		Replacement Wireless Foot Pedal - RT/SP &PD/V2	99.99
	MOUNT ADAPTER				
	5202042	1854022	MKA-22	For MKA 21 PowerDrive or PowerDrive w/AP	39.99
Maintenance	PROP NUT KITS - 2 PROP NUTS, LOCK WASHERS, DRIVE PINS				
	5200743	1865010	MKP-9	Style A - All 3-1/4", 3-3/8", 3-5/8" dia. motors	9.99
	5200744	1865011	MKP-10	Style B - All 4" dia. motors	6.99
Controls/Steering	5200745	1865012	MKP-12	Style C - All 2-1/2" dia. motors	6.99
	5204359	1865014	MKP-23	Style D - 4" dia. motors w/Serial Number Prefix "MK"	6.99
	5204900	1865019	MKP-34	Style E - Fits MKP-33 Weedless Wedge™ 2 prop	6.99
Motor Access.	QUICK NUTS				
	5201521	1865100	MKR-8	For mounting a trolling motor/accessories where there is limited access	7.99
	RECEPTACLE ADAPTER-6-GAUGE WIRE				
	5201638	1865104		Allow for heavy 6-gauge wire connection to MKR-18 plug & receptacle	14.99
Camping	RECEPTACLE & PLUG KIT				
	5201520	1865102	MKR-18	12 Volt. Universal design for 2 or 3 wire configuration	29.99
Cutlery	REPLACEMENT ROPE & HANDLE				
	5204352	1854120	MKA-45	48" w/Nylon Braid Cord w/Heat Fused Ends. Ergonomic Soft Grip Pull Handle	9.99

continued next page

MINN KOTA® REPLACEMENT PARTS

continued from previous page

Order #	Mfg. #	Model	Type	Sugg.Ret.
RIGGING ACCESSORIES				
5201443	1865101	MRK-12	Quick Connect Plug: For 12, 24, 12/24 volt application. 10 ga. wire	9.99
5201444	1840201	MKR-15	Transducer Mounting Kit	19.99
5204150	1865107	MKR-20	Trolling Motor Plug. For 6-12 ga. wire. Kit includes 2 plug halves, four contacts & four solder plugs for securing wire leads into contacts.	19.99

REPLACEMENT PROP SELECTION GUIDE

Minn Kota offers a wide range of replacement props to fit all existing and many discontinued models. The props include the nut attachment and can be installed in seconds.

WEEDLESS WEDGE™ PROPS

The only 100% fully weedless prop. Patented design pushes weeds away to conserve battery power. Easily moves through heavy vegetation or cover, even at slow speeds

WEEDLESS WEDGE™ 2 PROPS

Exclusive prop is the only of its kind that is 100% weedless. Unique, patented design features swept-back and flared blades to "wedge" weeds away while conserving battery power. Moves through heavy vegetation, even at slow speeds.

POWER PROPS

Delivers extra power to push through heavy vegetation. Fits 3-1/4" & 3-5/8" diameters.



Order #	Mfg. #	Type	Fits	Sugg.Ret.
WEEDLESS WEDGE™ PROPS				
MKP-6				
5200809	1865003	Prop No.: #2061125 Motor Dia.: 3-1/4" Prop Nut Kit: "A"	35A, 35Ta, 40Ta, 65Ta, 35T, 50T, 50MXT, 65T, 555T, 555Ta, 565T, 565Ta, 30AT, 33AT, 36AT, 36AT/H, 365T, 365Ta, 365TMB, 765T, 765MXT, 765MXTa, 865T, 865MXTa, 665T, 665MXT, 30EX, 36EX, RT27/S, RT36/S, RT40/S, 36PD/C, 36PD/AP/C, 40PD, 40AP, Endura 30, Endura 34, Endura 36, Endura 38, Endura 40, Endura Pro 32, Endura Pro 38, 40AT, 40AT/H, 40PD, MAX 30T, MAX 36T, MAX 40, PowerMax 30, PowerMax 36, Vector 40	\$16.99
MKP-7				
5200413	1865006	Prop No.: #2091150 Motor Dia.: 3-5/8" Prop Nut Kit: "A"	90T, 112, 112S/S, 312, 324, 512, 524, 412, 42AT, 48AT, 712, 712S/S, 724, 724S/S, 812, 824, 42EX, RT42/AP/C, RT48/AP/C, 42PD/C, 50PD, 55PD, 65PD, 55AP, 65AP, 42AT/H, 48AT/H, 42PD/AP/C, 48PD/AP/C, 65PD, 65PD/AP, Genesis 55, Genesis 55/AP, Genesis 55/AP-US, MAX 44, MAX 44BT, MAX 44/H, MAX 44T, MAX 50T, MAX 50BT, MAX 50/SC, MAX 54, MAX 54/H, MAX 55, MAX 55BT*, MAX 55/H, MAX 55/SC, MAX 55/SC/H/3x, MAX 55T*, MAX 65, MAX 65T, MAX 65-US, MAX 65BT, MAX 65/H, MAX 65/H/3x, MAX 65/SC, Endura 42, Endura 44, Endura 46, Endura 50, Endura 55, Endura Pro 46, 50AT, 50PD, 55PD/AP, 55PD-US, 55AP-US, 55AT, 55AT/H, 65PD-US, 65AP-US, 65AT, Spider 48, RT42/S, RT50/S, RT50/S/sc, RT50/SC, RT55/S*, RT55/B/H*, RT55/b/sc/l & d, RT55/b/l & d/3x, RT55/b/bg/3x, RT55/SC/H, RT55/AP, RT65/S, RT65/B, RT65/B/sc/l & D/3x, RT65/AP, RT48/AP, Camo 44, Vantage 50, Vantage 55, PowerMax 52, 54P Pontoon, 64PD Pontoon, PowerMax 47, Vector 46, Vector 55, Vector 55/3x, Vector 65, Vector 65/3x Neptune Primary Propulsion Motors: EP42, EP48, EP65, EP96, EP130 *Refer to original prop on motor.	24.99
MKP-24				
5201454	1865013	Prop No.: #2331130 Motor Dia.: 4" Prop Nut Kit: "D"	MAX 101, MAX 101/H, MAX 101/H/3X, Vantage 101, RT101/S, RT101/S/3X, RT101/B, RT101/B/H, RT101/B/BG/3X, Vector 101/3X	37.99
MKP-8				
5200769	1865007	Prop No.: #2331120 Motor Dia.: 4" Prop Nut Kit: "B"	595W, 595M, 599W, 599M, 795M, 795MX, 799M, 799MX, 3HPS/SBM, RT3.1/B, RT4.3/B, 3.1HP/B, 4.3HP/B, 95W, 95M, 99W, 99M, 3HP, 3HPS/STM, 395W, 395M, 399W, 399M, RT70/S, RT74/AP, RT74/S, RT74/S/3X, RT74/B/BG/3X, RT74/B/L & D/3X, 55EX, 70EX, RT70/B, RT74/B/H (Bowguard), RT74/B/H (Latch & Door), 55AT/H, 70AT/H, 70T/H, 74PD, 74PD/AP, 74PD/AP-US, 4HP, RT3.1/S, RT4.3/S, 3.1HP/S, 4.3HP/S, 64AP, MAX 74, MAX 74-US, MAX 74/H, MAX 74/H/3X, MAX 74T, MAX 74BT, 64PD, 62PD/AP, Vantage 74, Genesis 74/AP, Genesis 74, Genesis 74/AP-US, Vector 74/3X Mag Series: 36W, 36M, 40W, 40M, 736MX, 740MX, 36MTM, 36WRM, 36MRM, 40WRM, 40MRM, 40MRW	34.99
WEEDLESS WEDGE™ 2 PROPS				
MKP-32				
5202016	1865017	Prop No.: #2091160 Motor Dia.: 3-5/8" Prop Nut Kit: "A"	Motor Models w/Serial Number Prefix "WW" 55AT, 55AT/H, 70AT, Max55/SC, Max55, Max55/SC/H, Max55SC/H/3X, Max70, Max70/H/3X, Max70/SC, Max70/S/CH, Max70/US, Max55T, Max, 70T, 50PD, 55PD/AP, 55PD/AP/US, 55PD/US, 65PD, 54PDPontoon, 68PDPontoon, 70PD, 70PD70PD/US, 70PD/AP/US, Vector46, Vector55, Vector55/3X, Vector70, Vector70/3X, Edge45, Edge55, Edge55/H, Edge70, Endura 46, Endura 50, Endura55, Endura Pro46, Endura Pro55, Camo 55XL, RT55/B/H, RT55/B/SC/L&D, RT55/B/L&D/3X, RT55/B/3X, RT65/B/SC/L&D/3X, RT70/B/H, RT70/SC, RT55/AP, RT50/S, MK55EM, RT55EM,	26.99

continued next page

- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports
- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers
- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery

REPLACEMENT PROP SELECTION GUIDE

Trolling Motors	Order #	Mfg. #	Type	Fits	Sugg.Ret.
	WEEDLESS WEDGE™ 2 PROPS				
	MKP-33				
Audio/ Instruments	5202017	1865018	Prop.No.: #2331160 Motor Dia.: 4" Prop.Nut Kit "E"	Motor Models w/Serial Number Prefix "WW" Max80, Max80/US, Max80/H/3X, Max101, Max101/US, Max101/H, Max101/H/3X, MaxPro80, MaxPro80/US, MaxPro101, MaxPro101/US, Max80T, Max80/H, 80PD, 80PD/AP, 80PD/US, 80PD/AP/US, Vector80/3X, Vector101/3X, Vantage80, Vantage101, RTPro80, RTPro101, RT80B, RT80/B/L&D, RT8-/B/3X, RT80/B/L&D/3X, RT80/S, RT80/S/3X, RT101/B, RT101/B/3X, RT101/S, RT80AP, MK80EM, MK101EM, MK160EM, MK202EM, RT80EM, RT101EM, RT160EM, RT202EM	39.99
Depth Finders/GPS	POWER PROPS				
	MKP-2				
Vests/ Cushions	5200342	1865002	Prop No.: #2061121 Motor Dia.: 3-1/4" Prop Nut Kit: "A"	35A, 35TA, 40TA, 50T, 65N, 65MXN, 35T, 50MXT, 65T, 765T, 765MXNA, 765MXT, 865,865T, 865MXT, 365T, 665T, 665MXNA, 665MXT, 555T, 565N, 565T, Endura 30, Endura 36, Endura 38, Endura 40, RT40/S, Endura Pro 32, Endura Pro 38, PowerMax 30, PowerMax 36 Mag Series: 24, 30, 36, 40 Ltd. Series: 24, 36, 536	13.99
Water Sports					
	MKP-25				
Safety/ Optics	5204899	1865015	Prop No.: 2091130 Motor Dia.: 3-5/8" Prop Nut Kit: "A"	Old Engine Mount (EM) Series 42, 44, 48, 54 & 96	25.99
Boat Access.	MKP-37				
Mooring/ Docking	5204592	1865022	Prop No.: 2091170 Motor Dia.: 3-5/8" Prop Nut Kit: "A"	Endura C2 55, Endura C2 50, Camo 55, Traxxis 70, Traxxis 55/SC, Traxxis 55, RT55/T, RT50/SC/T	25.99



MOTORGUIDE® X3™ - FRESHWATER - BOW MOUNT HAND CONTROL

Large soft grip extending handle. Best in class 1-1/4" aluminum column. 2-Year factory warranty.

Trailers/ ATV Access.	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
	5204910	940200010		50"	45#	12	Gator® Flex 360	5/2	\$359.99
	5204911	940200020		50"	55#	12	Gator® Flex 360	5/2	528.99



MOTORGUIDE® VARIMAX™ - FRESHWATER - BOW MOUNT

Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" aluminum shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts (Available on 45, 55, and 75 lb. models). One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.

	Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.	
	BOW HAND CONTROL									
Camping	5204506	966080020	V55 HB	50"	55#	12	Gator™ Flex 360	Variable	\$449.99	
	5204547	966080035	V75 HB	50"	75#	24	#20.8 Gator Breakaway	Variable	679.99	
	PONTOON HAND CONTROL									
Cutlery	5204508	966050010	V55 HP	50"	55#	12	Pontoon	Variable	414.99	
	5204548	966050025	V75 HP	50"	75#	24	Pontoon	Variable	514.99	

MotorGuide®

DIGITAL &



MOTORGUIDE® SONAR READY WIRELESS w/LOWRANCE® TRANSDUCER

Built-in Lowrance® 200 kHz Transducer and Temperature Sensor compatible with most Lowrance® units. Quick, easy motor installation - no transducer cables, wire-ties or hose clamps running down shaft. Lowrance® 6-pin transducer connector standard, (adapters also available for Humminbird®, Vexilar® & Garmin®). Easy-to-use Wireless Foot Pedal with On/Off, Right/Left and Faster/Slower motor commands. Simple, precise wireless boat positioning from anywhere on deck, use pedal sitting or standing. Digital electronics. Composite shaft. Heavy-duty, Cradle Lock™ mount with ergonomic handle added to cable, quick release, lockable mounting plate and designed for easy one-hand, stow/deploy. Built-in battery meter includes 4 levels of charge data. Pontoon friendly. Built-in receiver allows addition of up to 4 Wireless Hand-Helds or Wireless Foot Pedals in any combination. Power Prop 3.5". **Hand Held Remote Sold Separately. See Page 18.**

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204197	970100100	W55L	54"	55#	12	Cradle Lock™	Variable	\$739.99
5204198	970100110	W75L	48"	75#	24	Cradle Lock™	Variable	859.99
5204199	970100120	W75L	60"	75#	24	Cradle Lock™	Variable	879.99

MOTORGUIDE® DIGITAL WIRELESS SERIES - BOW MOUNT


DIGITAL &



Easy-to-use Wireless Foot Pedal with On/Off, Right/Left and Faster/Slower motor commands. Simple, precise wireless boat positioning from anywhere on deck, use pedal sitting or standing. Digital electronics. Composite shaft. Heavy-duty, Cradle Lock™ mount with ergonomic handle added to cable, quick release, lockable mounting plate and designed for easy one-hand, stow/deploy. Built-in battery meter includes 4 levels of charge data. Fits any boat & stands up to rough-water pounding. Runs up to four remote inputs including handheld remote control.

Rough-water lower unit cradle. Integrated battery indicator. Pontoon friendly. Built-in receiver allows addition of up to 4 Wireless Hand-Helds or Wireless Foot Pedals in any combination. **Wireless Handheld Remote Sold Separately. See Pg. 18.**

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204606	970100360	W45	48"	45#	12	Cradle Lock™	Variable	\$579.99
5204607	970100370	W45	54"	45#	12	Cradle Lock™	Variable	589.99
5202123	970100020	W55	48"	55#	12	Cradle Lock™	Variable	659.99
5202124	970100030	W55	54"	55#	12	Cradle Lock™	Variable	669.99
5202125	970100060	W55	60"	55#	12	Cradle Lock™	Variable	679.99
5202126	970100080	W75	48"	75#	24	Cradle Lock™	Variable	789.99
5202127	970100040	W75	54"	75#	24	Cradle Lock™	Variable	799.99
5202128	970100050	W75	60"	75#	24	Cradle Lock™	Variable	809.99



MOTORGUIDE FRESHWATER SERIES - BOW MOUNT

Quiet smooth operation. Compact lightweight lower units. Microswitch designed to withstand demands of harsh, wet conditions. Machete® III prop. **NOTE:** Variable Speed Models feature: Digital Guardian speed control, completely sealed and protected from heat, moisture, corrosion and shock, greatly improving durability, improved efficiency, extended battery life.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Illus.	Sugg.Ret.
FOOT CONTROL-RACK & PINION STYLE									
5204593	921310200	FW40 FB	36" Alum.	40#	12	Gator™ Flex 360	5	A	\$398.99
5204415	921310210	FW40 FB	42" Alum.	40#	12	Gator™ Flex 360	5	A	349.50
5202082	921310110	FW46 FB	36" Alum.	46#	12	Gator™ Flex 360	5	A	349.99
5202083	921310120	FW46 FB	42" Alum.	46#	12	Gator™ Flex 360	5	A	359.99
5202084	921310140	FW46 FB	50" Alum.	46#	12	Gator™ Flex 360	5	A	374.99
5202085	921310130	FW46 FB (84" cable)	42" Alum.	46#	12	Gator™ Flex 360	5	A	469.99
5202087	921310160	FW54 FB	42" Alum.	54#	12	Gator™ Flex 360	5	A	509.99
5202088	921310170	FW54 FB	50" SS	54#	12	Gator™ Flex 360	5	A	524.99
5204595	921310440	FW75 FB	45" SS	75#	24	#20.8 Gator Breakaway	5	C	649.99
5204596	921310450	FW75 FB	50" SS	75#	24	#20.8 Gator Breakaway	5	C	659.99
HAND CONTROL-EXTENDED TWIST TILLER									
5204277	923410020	FW109 HB Digital	50" SS	105#	36	Gator Spring HB 21 FW	Var/Rev	B	954.99

- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports
- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers
- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery

Trolling Motors

MotorGuide®

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery



MOTORGUIDE® BULLDOG™ FRESHWATER SERIES - BOW MOUNT

Popular and compact trolling motor now provides a bigger underwater punch w/54 lbs. of thrust. The value-packed unit offers pond hoppers 360°, rack-and-pinion, foot control maneuverability through stumps & weedy obstacles for hands free fishing. Foot control pedal mounted on the bow or transom via an economical, aluminum transom mount built to take a pounding.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204472	921500090	Bulldog	30"	54#	12	#09 Wide-Bite	5/2	\$419.99



MOTORGUIDE® VARIMAX™ - SALTWATER SERIES - BOW MOUNT

Anodized aluminum mounts & components. Self-healing aluminum coating on the lower unit serves as the ultimate shield against corrosion & abuse. Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" SS shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts. One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
BLUESPEED™ SPEED INDICATOR								
5204512	966180810	V55 SW HB	50"	55#	12	Gator™ Flex 360	Variable	\$529.99
5204550	966180830	V75 SW HB	50"	75#	24	#20.8 Gator Breakaway	Variable	749.99
5204551	966180840	V75 SW HB	60"	75#	24	#20.8 Gator Breakaway	Variable	849.99



MOTORGUIDE® GREAT WHITE® SALTWATER SERIES - BOW MOUNT

Designed for the extreme test of saltwater. Multi-step lower unit coating process includes 99.9% pure AlumiPlate coating under zinc-free epoxy powder primer. TGIC polyester topcoat protects against dings and scratches. Dual saltwater anodes for ultimate galvanic corrosion protection. Stainless steel shaft, fasteners and control cables. Anodized aircraft aluminum mounts with stainless components. Machete® III prop. NOTE: Digital Guardian - electronics are epoxy-coated and fully sealed in waterproof lower unit.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
HAND CONTROL-TWIST TILLER								
5202102	924410050	SW82HB Digital	50"	82#	24	Gator™ 21 RSW	Var/Rev	\$999.99
5202103	924410060	SW82HB Digital	60"	82#	24	Gator™ 24 RSW	Var/Rev	1049.99
5204563	924410070	SW109HB Digital	50"	105#	36	Gator™ 21R HB	Var/Rev	1099.99
5202105	924410080	SW109HB Digital	60"	105#	36	Gator™ 24 RSW	Var /Rev	1149.99

MotorGuide®



MOTORGUIDE® TOUR SERIES - BOW MOUNT

Quiet, smooth operation. Stainless steel shafts, components, metal head & pedal. Digital Guardian™ speed control, completely sealed and protected from heat, moisture, corrosion and shock, greatly improving durability. Improved efficiency for extended battery life. Machete® III prop. Compact, lightweight lower units. Microswitch designed to withstand demands of harsh, wet tournament conditions. No play, pull-pull adjustable steering.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
FRESHWATER BOW MOUNT								
5204597	930010390	TR75 FB Digital	45" SS	75#	24	#20.8 Gator Breakaway	Variable	\$849.99
5201720	9BT42GAAF	TR82 FB Digital	45" SS	82#	24	#21 Gator Spring	Variable	1069.99
5201721	9BT52GAAF	TR82 FB Digital	50" SS	82#	24	#21 Gator Spring	Variable	1079.99
5201726	9BX43GAAF	TR109 FB Digital	45" SS	105#	36	#21 Gator Spring	Variable	1159.99
5201727	9BX53GAAF	TR109 FB Digital	50" SS	105#	36	#21 Gator Spring	Variable	1169.99

MOTORGUIDE® TOUR SERIES - LOWRANCE® OPTIMIZED

Redesigned motors w/built-in Lowrance® sonar nose cone transducer & temperature sensor to optimize sonar performance. Built-in 83/200kHz Lowrance® transducer provides clear, clean signals at 200kHz and is easily adaptable to Humminbird®, Vexilar® and Garmin® units via the 7 pin Lowrance® Blue/Gray connector coming out of the Tour Series foot pedal. For Lowrance® users, the built-in transducer offer 83kHz operating advantages w/increased field-of-view & broadband capabilities when connected to Lowrance® broadband capable options. More accurate temperature readings because the housing exposes a greater surface area of the probe to ambient conditions. Hardware on Tour Series motors is better than ever. Pulleys beneath each pedal have been upgraded to cold hard stainless for increased strength, smoother operation and better compatibility with the higher grade stainless cables. Shaft bearings to reduce noise. Variable speed control knob features easier to read speed settings and is made of a durable material that greatly improves impact resistance. **Adapter Sold Separately. See Page 18.**



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204474	930011020	TR82L FB Digital	45"	82#	24	#21 Gator Spring	Variable	\$1139.99
5204475	930011030	TR82L FB Digital	50"	82#	24	#21 Gator Spring	Variable	1149.99
5204476	930011040	TR82L FB Digital	60"	82#	24	#24 Gator Spring XL	Variable	1209.99
5204477	930011050	TR109L FB Digital	45"	105#	36	#21 Gator Spring	Variable	1229.99
5204478	930011060	TR109L FB Digital	50"	105#	36	#21 Gator Spring	Variable	1239.99
5204479	930011070	TR109L FB Digital	60"	105#	36	#24 Gator Spring XL	Variable	1299.99

MOTORGUIDE® VARIMAX™ - FRESHWATER - TRANSOM MOUNT

Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" aluminum shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts (Available on 45, 55, and 75 lb. models). One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204602	966000010	V40 HT	30"	40#	12	Aluminum/#09 Transom	Variable	\$244.99
5204907	966000020	V40 HT	36"	40#	12	Aluminum/#09 Transom	Variable	309.99
5204603	966000030	V45 HT	36"	45#	12	Aluminum/#09 Transom	Variable	263.25
5204908	966000040	V45 HT	42"	45#	12	Aluminum/#09 Transom	Variable	318.99
5204604	966000050	V50 HT	36"	50#	12	Aluminum/#09 Transom	Variable	324.75
5204605	966000070	V70 HT	42"	40#	24	Aluminum/#09 Transom	Variable	394.99

- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports
- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers
- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery

Trolling Motors

MotorGuide®

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery



MOTORGUIDE® R3 SERIES-HAND CONTROL - TRANSOM MOUNT

Aluminum alloy construction w/rugged powder coat finish & stainless steel hinge pins. Aluminum column. Stainless steel propeller shaft & 3-Blade Machete prop. Includes easy-to-use tilt/stow/deploy mechanism & swing over knobs on the clamp screws, allowing you to lock the motor to the transom. Aluminum mount w/7-point adjustment. Twister tiller - classic 5 speed forward/2 speeds reverse controls & reversible motor head create a dependable yet versatile motor. Quiet operation. One-touch, rapid slide-depth adjustment collar.

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
FRESHWATER USE								
5204598	940100070	R3-30 HT	30"	30#	12	#03 Transom	5/2	\$114.99
5204599	940100020	R3-40 HT	36"	40#	12	#03 Transom	5/2	116.99
5204600	940100030	R3-45 HT	36"	45#	12	#09 Transom	5/2	189.99
5204601	940100050	R3-55 HT	36"	55#	12	#09 Transom	5/2	234.99



MOTORGUIDE® VARIMAX™ - SALTWATER SERIES - TRANSOM MOUNT

Anodized aluminum mounts & components. Self-healing aluminum coating on the lower unit serves as the ultimate shield against corrosion & abuse. Digital variable speed control minimizes amp draw and maximizes fishing time - fish up to 3x longer than a 5-speed motor. Large diameter 1.25" SS shaft for greater strength & durability. Powerful 3.5" diameter VariMAX™ digital motors run cooler & last longer. Revolutionary intuitive push/pull, forward & reverse speed adjustments. BlueVis™ integrated speed & battery indicator shows precise speed setting in forward & reverse and indicates 10 levels of battery voltage when in the off position from 9.0 to 13.5 volts. One-touch rapid slide-depth adjustment collar. Extending Tri-Lobe soft touch handle for the perfect feel & control.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
BLUESPEED™ SPEED INDICATOR								
5204608	966100020	V45 SW HT	36"	45#	12	#09 Transom	V/R	\$254.99
5204609	966100030	V55 SW HT	36"	55#	12	#09 Transom	V/R	429.99

Controls/ Steering

Motor Access.

Camping

Cutlery

MOTORGUIDE® GREAT WHITE® SALTWATER SERIES - TRANSOM MOUNT

The choice of guides, competitive anglers and die-hards. Designed for extreme test of saltwater - heat-corrosion-big-water pounding. Digital power. Multi-step lower unit coating process includes 99.9% pure AlumiPlate coating under zinc-free epoxy powder primer. TGIC polyester topcoat protects against dings and scratches. Dual sacrificial anodes for ultimate galvanic corrosion protection. Stainless steel shaft, and fasteners. Digital Guardian module is epoxy-coated and fully sealed in waterproof lower unit, protected from heat, moisture, corrosion and shock, greatly improving durability. Anodized aircraft aluminum mounts and components. prevent galvanic corrosion. Machete® III prop.



Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5201712	9CX53KQAX	SW109HT Digital	50"	105#	36	#09 Wide-Bite SW	Var/Rev	\$749.99


MotorGuide®



MOTORGUIDE® SALTWATER WIRELESS

Extremely efficient & remarkably quiet. Comes standard w/easy-to-use, high frequency, low-profile Wireless Foot Pedal. Built-in battery indicator. Stong composite shaft. Stainless steel propeller shaft & 3-Blade Machete III propeller. Oversized bushings last longer & increase battery life for optimum trolling time at every level. Designed to stand up to the pounding of rough-water runs. Includes Cradle-Lock™ w/quick release, lockable, aluminum mounting plate that virtually fits any boat. Paint job resists corrosion. **Wireless Handheld Remote Sold Separately. See Pg. 18.**

Order #	Mfg. #	Sub-Model	Column	Thrust	Volts	Mount	FWD/REV	Sugg.Ret.
5204570	970200010	W55 SW	48"	55#	12	Cradle-Lock™	Variable	\$849.99
5204571	970200020	W55 SW	54"	55#	12	Cradle-Lock™	Variable	859.99
5204572	970200030	W75 SW	48"	75#	24	Cradle-Lock™	Variable	919.99
5204573	970200040	W75 SW	60"	75#	24	Cradle-Lock™	Variable	939.99



MOTORGUIDE® REPLACEMENT PROPS

Order #	Mfg. #	Prop Style	Dia.	Blades	Type	Illu.	Sugg.Ret.
5204532	8M0028330	Safari™	3-1/2"	2	Weedless	A	\$33.99
5202132	MGA089W	Machete® III™ (Glass filled)	3-1/2"	3	Weedless	B	44.99
5202133	MGA089G	Grey Machete® III (Glass filled)	3-1/2"	3	Weedless	C	44.99
5201865	MGA089B	Machete® III (Composite)	3-1/2"	3	Weedless	D	33.99
5201319	MGA087M	Machete® (Metal)	3-1/2"	3	Weedless	E	58.99
5200414	MGA0476B	Ninja®	3"	2	Power	F	33.99
5200416	MGA0495B	Ninja®	3-1/2"	2	Power	G	33.99



MOTORGUIDE® LOWRANCE® OPTIMIZED TOUR SERIES SONAR-READY ADAPTORS

5204525: Lowrance® 6-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

5204526: Vexilar® 3-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

5204527: Garmin® 6-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

5204528: Humminbird® 7-pin sonar adaptor for Tour Series 200/83kHz Lowrance® motors.

Order #	Mfg. #	Model	Sugg.Ret.
5204525	8M4001959	Lowrance® 6-pin	\$35.99
5204526	8M1001960	Vexilar® 3-pin	35.99
5204527	8M4001961	Garmin® 6-pin	35.99
5204528	8M4001962	Humminbird® 7-pin	35.99

MOTORGUIDE® WIRELESS SONAR ADAPTORS

Order #	Mfg. #	Model	Sugg.Ret.
GARMIN®			
5204906	8M0029351	6-pin	\$28.99
HUMMINBIRD®			
5204389	8M0029532	6-pin to 7-pin w/Temp	35.99
LOWRANCE®			
5204213	8M4000386	6-pin to 7-pin(Blue/Gray)	17.75



MOTORGUIDE® 6-GAUGE BATTERY CABLE & TERMINALS

Includes 50 amp manual reset breaker w/heavy-duty cable & terminal.

Order #	Mfg. #	Sugg.Ret.
5204905	MM309922T	\$18.99



MOTORGUIDE® DRC DIGITAL REMOTE CONTROL

FOR: Wireless Series. Digital wireless remote. Constant On/Off, Left/Right & digital speed control. Multiple DRC remote capable. Easy set-up & installation. High speed steering & response.

Order #	Mfg. #	Sugg.Ret.
SPARE REMOTE FOR MULTIPLE KEY FOB APPLICATIONS		
5201891	M887657	\$72.99
STORAGE CASE FOR FOOT PEDAL & KEY FOB		
5204156	MGA505A1	36.99
WIRELESS FOOT PEDAL		
5204325	8M4000952	105.99

Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery

Trolling Motors

MotorGuide®



MOTORGUIDE® 20.8 GATOR BREAKAWAY

Hinged door for quick access/motor removal. Center Decklet adds mounting flexibility with prop in or out options. Oversized 3/8" stainless steel pins and componentry. Extruded aircraft aluminum base. Easy-grip rubber knobs. Single-hand stow and deploy with quick snap of the wrist. Consistent hole patterns from mount to mount.

Order #	Mfg. #	Sugg.Ret.
5204480	8M4002192	\$249.99

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery

MOTORGUIDE® GATOR™ FLEX 360



Exclusive, patent-pending Flex Isolator design acts as built-in shock absorber to protect motor from impact and vibration. 360° Breakaway protection in run position w/automatic reset. Isolates motor from vibration and jarring in rough water. Proprietary Mercury® Marine-grade XK360 die-cast aluminum offers unmatched strength, lightweight performance and a MotorGuide® exclusive. Gated door for easy motor removal. Transducer slots are molded into each half of Rubber Flex Isolator to protect transducer cables and allow for door to be easily closed.

Order #	Mfg. #	Model	Finish	Sugg.Ret.
5204162	8M4501607	Freshwater	Black	\$199.99

MOTORGUIDE® 21 GATOR™ SPRING



Hinged door for quick access motor removal. Stainless steel pins and componentry. Extruded aircraft aluminum or proprietary Mercury® Marine-grade XK360 die-cast aluminum. Easy-grip rubber knobs. Consistent hole patterns from mount to mount. Includes mounting hardware for easy installation

Order #	Mfg. #	Sub-Model	Finish	Sugg.Ret.
5201738	8M4002190	21	Black	\$299.99
5204164	8M4002195	21RSW	White	399.99

MOTORGUIDE® REMOVABLE MOUNT PLATE



With the pull of a pin, this "quick release" mounting system provides easy on, easy off access. Universal hole patterns. Fits the Flex 360, 20.8, 21, 24, 21R, 24 & 24R Gator style mounts.

Order #	Mfg. #	For	Sugg.Ret.
5204564	MGA501A2	Freshwater	\$114.99
5204152	MGA515A2	Saltwater	114.99

MOTORGUIDE® MOUNTING BOLTS AND ISOLATORS



Above deck/easy mounting. Absorbs rough water shock and trailering. 4 bolts per package.

Order #	Mfg. #	Sugg.Ret.
5200165	MGA015PB6	\$17.99

MOTORGUIDE® BOUNCE BUSTER® & BOUNCE BUSTER® II



Designed for the Gator Mount. Prevents mount, motor & boat damage in rough waters.

Order #	Mfg. #	For	Sugg.Ret.
5201660	MGA097B6	21/24 Gator II Mount	\$47.99

MOTORGUIDE® TROLLING MOTOR TIE DOWN STRAP



Keeps motor firmly in place while running at high speed.

Order #	Mfg. #	For	Sugg.Ret.
5204157	MGA507A1	Gator 360	\$13.99

MOTORGUIDE® STANDARD MOTOR REPLACEMENT PARTS

Order #	Mfg. #	Type	Sugg.Ret.
GATOR FLEX 360 ISOLATOR REPLACEMENT			
5204514	8M4000305	2-piece gate bushing	\$16.99
HANDLE			
5204154	MGA503A1	24" Telescoping handle	26.99
5204155	MGA504A1	14" Fixed Extension handle	17.99
MOUNTING COMPONENTS			
5204153	MGA506A1	Wireless Mount Plate Cover	28.99
5204210	8M4000292	Wireless Mount Plate Cover (White)	28.99
5204517	8M4000975	Wireless Mounting Kit	38.99
PROP COVER			
5204205	8M4000274	Neoprene, 3-Blade	23.99
PROP KIT			
5200417	MGA050B6	Prop nut, wrench, prop pin kit	15.99
SWITCHES AND COMPONENTS			
5204524	MM5870	50 amp Circuit Breaker	15.99

NAVIGATOR



NAVIGATOR® TOURNAMENT SERIES TROLLING MOTOR

Weatherproof remote controls w/totally sealed membrane switches. Pulse Width Modulation Electronics withstands harsh environments. Variable speed control with forward, reverse, & soft start. Efficient, powerful, custom-made motors. Individually balanced, tested motor armatures. Designed to be permanently mounted on all O/B, I/O, pontoons and deck boats.

Order #	Mfg. #	Sub-Model	Thrust	Volt	Sugg.Ret.
5200726	65-3500	3500	35 lbs.	12	\$610.25
5201654	65-5200	5200	52 lbs.	12	606.99
5200728	65-5500	5500	55 lbs.	24	587.99
W/STAINLESS STEEL BRACKET					
5200727	65-3501	3501	35 lbs.	12	572.99
5200729	65-5501	5501	55 lbs.	24	616.99
NAVIGATOR® POWER PROP					
5202052	68-8302				43.25

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE




PINPOINT™ ACCESSORIES.

Order #	Mfg. #	Application	Sugg.Ret.
5201306	MCBAY20	CONSOLE TO BOW AUXILIARY "Y" CABLE 20' cable w/one 6-pin connector going to two 9-pin connectors- Allows System to connect any Standalone Display	\$49.99



YOUNG DIE-CAST ALUMINUM TROLLING PROPS

Precision die-cast aluminum trolling props.



Order #	Mfg. #	Brand	Fits	Sugg.Ret.
5200343	T-1	MINN KOTA	Older models 40, 60, CDR, HGR & UWR - 7" prop w/counter clockwise rotation & 3/8" shaft	\$14.99
5200427	T-2	SILVER TROLL	Older models with 1/2" shaft size; 6-3/4" prop w/counter clockwise rotation & 2" hub	14.99
5200345	T-3	MOTORGUIDE	Older models w/oversize 1/2" shaft - 6-3/4" prop w/counter clockwise rotation & 2" hub	14.99
5200424	T-4	SHAKESPEARE, PFLUEGER, PHANTOM, SEAR, WESTERN AUTO	Older models w/2 blade 5-3/4" prop & 5/16" shaft	14.99
5200587	T-7	ELECTRA PAL & TROLLMASTER	Models w/5-1/2" prop & 5/16" shaft size	14.99
5200348	T-8	MOTORGUIDE	Older Super MotorGuide & Magnum models - 5-1/2" prop w/3/8" shaft	14.99
5200346	T-10	MINN KOTA & ROBOTROL	Through 1983 MinnKota models 50, 55, 55A, 55B, 55C, 355, 355A, 355B, 355C, 550, 555, 555A, 555B, 555C, Mag 4, Mag 4RM, Mag 12, Mag 12RM, Mag 12TM, Mag 12A, Mag 15, Mag 5RM, & Mag 15TM - 5-3/4" prop w/3/8" shaft	14.99
5200344	T-11	MINN KOTA	Through 1983 models 10, 10A, 10B, 15, 15A, 15B, 15C, 20, 25, 30, 35, 35A, 35B, 530, 535, 535A, 535B, 735 & Mag 12X - 5-3/4" prop w/5/16" shaft	14.99
5201217	T-12	SILVERTROL	Challenger, Executive, Executive Deluxe, Executive Pro & Pathfinder - 5-1/2" prop w/5/16" shaft size	14.99
5200356	T-13	JOHNSON & EVINRUDE	Motors w/5-1/2" prop & 3/8" dia. shaft	14.99
5200347	T-15	MINN KOTA	Through 1983 models 55D, 355D, 555D, 565, 65, 75A, 575A, Mag 18 & Mag 24A - will also replace standard 9" prop on other models where a slightly smaller and stronger prop w/excellent performance is desired -7" prop w/3/8" shaft	14.99
5200588	T-16	RAM	Models 424T & 1550 - 7" prop w/3/8" shaft size & 1-1/8" hub w/counter clockwise rotation	14.99
5200357	T-18	MOTORGUIDE	Older models Hawg & Brute - 7" prop w/3/8" shaft size & counter clockwise rotation	14.99

YOUNG HIGH PERFORMANCE WEEDLESS MODEL PROPS

Order #	Mfg. #	Brand	Fits	Sugg.Ret.
5200585	T-5W	BYRD	Eagle & Double Eagle - 6-1/2" high performance weedless prop w/3/8" shaft size (also includes adapter for 5/16" shaft size) - clockwise rotation & 2-1/2" hub - also fits older Lazytrol (except Lazytrol Jr.) - This prop replaces Young T-5 prop	\$18.99
5200350	T-19W	MERCURY & MINN KOTA	Universal 10-1/2" high performance weedless prop for gear driven Mercury Thruster & Thruster Plus; also fits Minn Kota models 85, 385, 585, Mag 28, Mag 28TM, Mag 28RM, 85W, 85A, 385A, 385W, 585B & 585A - 3/8" shaft size & 3" hub w/clockwise rotation	24.99
5200349	T-20W	MINN KOTA & MOTORGUIDE	Weedless models 55W, 65W, 555W & 565W - Will replace standard 9" prop on most older Minn Kota models; Fits newer MotorGuide weedless models, Hawg, Brute MotorGuide III & Warrior; will also replace standard 6-1/2" prop on most older models MotorGuide w/3" dia. motor; 8" high performance weedless prop w/3/8" shaft size & 3" hub w/counter clockwise rotation	24.99

continued next page

- Trolling Motors
- Audio/ Instruments
- Depth Finders/GPS
- Vests/ Cushions
- Water Sports
- Safety/ Optics
- Boat Access.
- Mooring/ Docking
- Hardware
- Lighting
- Boat Seats
- Boat Covers
- Fuel
- Trailers/ ATV Access.
- Pumps
- Electrical
- Maintenance
- Controls/ Steering
- Motor Access.
- Camping
- Cutlery

YOUNG HIGH PERFORMANCE WEEDLESS MODEL PROPS

Order #	Mfg. #	Brand	Fits	Sugg.Ret.
5200358	T-21W	SHAKESPEARE	3" dia. motors, Sigma 25, 25BM, 28, 28B, 28BMRC, 30, 30B, 30BMRC, 25W, 30W, 35W, Sigma Supra 280, 280BM, 280W, 330 & 330W. 8" high performance weedless prop w/3" hub & 3/8" shaft size (also includes adapter for 5/16" shaft size)	24.99
5200590	T-23W	JOHNSON & EVINRUDE	12/24 volt weedless models - 8-3/4" high performance weedless prop w/3/8" shaft size & clockwise rotation	24.99
5200591	T-24W	JOHNSON & EVINRUDE	12 volt weedless models - 10-1/2" high performance weedless prop w/3/8" shaft size & clockwise rotation	24.99
5200425	T-25W	MERCURY & MARINER	New 12/24 volt weedless models - 8-3/8" high performance weedless prop w/3/8" shaft size & clockwise rotation	24.99

REPLACEMENT PARTS



ANGLER'S PAL TROLLING MOTOR MOUNT

Mount features a unique rubber lock down strap that eliminates the trolling motor from moving when flying across the lake or traveling down the road. Stainless steel/black hard anodized aluminum for fresh & saltwater use. OAL: 10".

Order #	Mfg. #	Sugg.Ret.
5204556	AP-MM10	\$91.75



BOATBUCKLE® TROLLING MOTOR TIE-DOWN SYSTEM

Black webbing. Shur-Grip release handle allows for a comfortable, secure hold. Mounting screws countersink into rubber grommets, keeping metal hardware away from equipment. Sold by the pair.

Order #	Mfg. #	Type	Sugg.Ret.
5202027	F15437	Standard Trolling Motor	\$14.50



BIG FOOT® MARINE BIG FOOT 2 TROLLING MOTOR HANDLE

One size. Fits any hand-operated trolling motor. Adjustable horizontal position: 36" to 48". Adjustable vertical position: 23" to 35". Features twist & lock grip for easy operation. Attaches to trolling motor shaft with patented non-slip 4-bolt locking system. Easy to install.

Order #	Mfg. #	Sugg.Ret.
5201659	BFH-2	\$49.99



JOHNNY RAY SPEED REEDED UNIVERSAL TRANSOMMOUNTED TRANSDUCER BRACKET

Eliminates your high speed depth sounder reading problems. Constructed of heavy 16 gauge T-304 Stainless Steel & assembled w/stainless steel hardware. Designed & developed specifically to provide flawless depth finder reading at high speed or while cornering. Unique two-piece adjustable design provides an infinite number of settings to match your boat's transom angle & the water's surface. Keeps the transducer in clean (non-turbulent) water at speed or when cornering. "Kick-up" design protects your transducer from floating or hidden objects under water.

Order #	Mfg. #	Sugg.Ret.
5026891	JR-3	\$34.99

BIG FOOT® MARINE TROLLING MOTOR SWITCH

Two switches in one. Momentary and on/off. For all hand-operated 12V or 24V trolling motors.

Order #	Mfg. #	Sugg.Ret.
5202051	BFS-2-1	\$18.99



Johnny Ray LLC

New Ideas for Better Fishing !!



**JOHNNY RAY
TRANSDUCER MOUNTING BRACKET**


Designed to provide a solid, secure and easy way to mount the transducer of your electronic unit to the shaft of your trolling motor. Brackets offset the transducer to the side of the motor to protect it from damage. Also allows for easy cone angle adjustments to make the unit perform to its true potential. The brackets have the ability to convert any conventional electronic unit to a side-scanning unit by turning the transducer 90° to the lake bottom. Die-formed from .093 aircraft grade aluminum, anodized to eliminate electrical interference and include zinc-plated mounting hardware.

Model JR-1: Fits 1" dia. shaft: MotorGuide, Evinrude, Johnson, OMC.
Model JR-2: Fits: Minn Kota.

Order #	Mfg. #	Model	Sugg.Ret.
5000631	JR-1	JR-1	\$16.99
5000632	JR-2	JR-2	6.75

Marinco

**MARINCO
CONNECT PRO
RECEPTACLE & PLUG**



Receptacle: Universal design for 2 or 3-wire configuration 12, 24, 12/24, 24/36 or 36 volt systems. Watertight sealing cap. Corrosion-resistant, plated brass electrical components. Drain holes keep water away from electrical components. Perma-Lock™ screw terminals will not loosen under extreme hull vibration. Standard 1-1/8" dia. mounting hole. Easy to install, with supplied mounting plate for front panel installation, or locking ring for rear access installation. Accepts up to 8 ga. wire. Easily replaces other trolling motor plugs and receptacles. Plug: O-ring seal for waterproof connections. Weather-resistant plug cover. Corrosion-resistant, plated brass electrical components. Accepts up to 8-ga. wire. Ergonomic contoured grip for easy hookup & ground blade alignment.

Order #	Mfg. #	Type	Sugg.Ret.
5201500	12VCP	Receptacle & Plug	\$50.50
5201501	12VBR	Receptacle Only	27.75
5201502	12VBP	Plug Only	22.50
5201587	12VBRAD	Adaptor for 6-ga. wire	22.50

MARINCO® TROLLING/CHARGING SYSTEM

4-wire Trolling/Charging System eliminates need for charge/run switch. Install receptacle on boat, mount black trolling motor plug on trolling motor & red charger plug on leads of battery charger. Plug in black plug to troll, or red plug to charge.



**MARINCO®
12V CHARGER PLUG-MALE**

Connects to 12V battery charger to allow simultaneous charging of two 12V batteries when plugged into receptacle. Red

Order #	Mfg. #	Sugg.Ret.
6003015	2018BP-12	\$28.75

**MARINCO®
12/24V
TROLLING MOTOR PLUG-MALE**

Connects to trolling motor. Jumped internally to supply 12V & 24V power to trolling motor when plugged into receptacle. Black.



Order #	Mfg. #	Sugg.Ret.
6001817	2018BP-24	\$25.75

**MARINCO®
12/24V LOCKING SYSTEM-
RECEPTACLE & BRACKET**

Spring loaded flip lid cover & 2018BR receptacle, pre-assembled. Convenient mounting.



Order #	Mfg. #	Sugg.Ret.
6031994	2018BR-MB	\$84.50

**MARINCO®
12/24V LOCKING SYSTEM-
TROLLING MOTOR RECEPTACLE**

Glass-reinforced, corrosion-resistant nylon. Accepts 8-ga. stranded wire or up to 6-ga. with ring terminals. Black



Order #	Mfg. #	Sugg.Ret.
6001818	2018BR	\$54.75

**MARINCO®
MOUNTING BRACKET**

Spring-loaded flip lid cover. Without receptacle.



Order #	Mfg. #	Sugg.Ret.
6001971	2018MB	\$31.50

**MARINCO®
12/24V
TROLLING MOTOR PACKAGE**

Includes: 2018BP-12, 2018BP-24 & 2018BR-MB Economically priced, conveniently packaged in one pack.



Order #	Mfg. #	Sugg.Ret.
6001972	2018PKG	\$107.99

MarineWorks

**MARINEWORKS
12V TROLLING MOTOR SOCKETS**

Female: 12 volt w/butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5011-02. Male: 12 volt with butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5010-02.



Order #	Mfg. #	Type	Sugg.Ret.
6200065	WH10470	Female	\$18.50
6200066	WH10480	Male	15.50

**MARINEWORKS
24V TROLLING MOTOR SOCKETS**

Female: 24 volt w/butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5011-03. Male: 24 volt w/butt connector. 10-ga. Ready-wired. Replaces: Mar-Lan 5010-03.



Order #	Mfg. #	Type	Sugg.Ret.
6200067	WH10490	Female	\$21.99
6200068	WH10500	Male	17.99

**MARINEWORKS
MALE BOAT SIDE CONNECTOR**

12 Volt: 6" w/butt connector. 8-ga. Ready-wired. 24 Volt: 6" w/butt connector. 8-ga. Ready-wired



Order #	Mfg. #	Type	Sugg.Ret.
6201298	WH10520	12 Volt	\$18.75
6201300	WH10540	24 Volt	22.50

Trolling Motors

Audio/ Instruments

Depth Finders/GPS

Vests/ Cushions

Water Sports

Safety/ Optics

Boat Access.

Mooring/ Docking

Hardware

Lighting

Boat Seats

Boat Covers

Fuel

Trailers/ ATV Access.

Pumps

Electrical

Maintenance

Controls/ Steering

Motor Access.

Camping

Cutlery

Trolling Motors



MARINEWORKS FEMALE MOTOR SIDE PLUG

12 Volt: 6" w/butt connector. 8-ga. Ready-wired . 24 Volt: 6" w/butt connector. 8-ga. Ready-wired




Order #	Mfg. #	Type	Sugg.Ret.
6201299	WH10530	12 Volt	\$16.75
6201301	WH10550	24 Volt	19.99



MAR-LAN ACCESSORY PANEL

Can be mounted almost anywhere. Attach 12 volt leads. 3"x3" brush sterling panel.



Order #	Mfg. #	Sugg.Ret.
5200255	6007-06C	\$20.75

MAR-LAN TROLLING PLUG RECEPTACLE

Troll plugs are molded w/flexible PVC at terminal location for easy plug-in alignment. Mounting surface on receptacles are molded w/rigid polypropylene. Fits in 1-1/8" hole - #10 mounting holes. 2-1/2"x1-3/4". Carded.



Order #	Mfg. #	Type	Sugg.Ret.
5200271	5011-02C	12V, 10 ga., 2 wire	\$6.99
5200272	5011-03C	12/24V, 10 ga., 3 wire	8.50

MAR-LAN TROLLING MOTOR PLUGS

Male plugs are molded w/flexible PVC at terminal location for easy plug-in alignment. Carded.



Order #	Mfg. #	Type	Sugg.Ret.
5200252	5010-03C	12/24 Volt, 10 ga., 3 wire	\$7.75
5200253	5010-02C	12 Volt, 10 ga., 2 wire	6.50

MAR-LAN TROLLING MOTOR WIRE, PLUG & RECEPTACLE SETS

Designed to be flush-mounted in the bow of boat. Socket makes connection of trolling motor quick & easy. Set includes (1) motor side plug, 6"L wire lead w/butt connector & (1) female boat side socket/receptacle w/6"L wire lead w/butt connector.



Order #	Mfg. #	Wire	Sugg.Ret.
5204610	501-02-02C	10 ga.	\$14.50
5204611	501-28-2C	8 ga.	19.99

MAR-LAN TROLLING MOTOR PLUG - 3 WIRE

Male plug.



Order #	Mfg. #	Type	Sugg.Ret.
5200736	5090-03C	12/24 Volt	\$7.50

MAR-LAN ACCESSORY SOCKET w/CAP

Durable polypropylene plastic & all brass contacts to resist corrosion. Mounts in 1-1/8" hole with #10 mounting holes. 1-1/4"x2" face plate, 6" leads, 12 volt. Carded.



Order #	Mfg. #	Sugg.Ret.
5200256	5250C	\$10.75

PANTHER™ AUXILIARY MOTOR STEERING KIT

Ideal way to provide remote control steering for any type or size out-board trolling motor up to 25HP



Order #	Mfg. #	Finish	Sugg.Ret.
6306345	55-2600	Stainless	\$78.75



R&R DESIGN INC. RECESSED TROLLING MOTOR PAN

Powder coated aluminum. UV protected. Universal - any brand of trolling motor foot control will fit in the pan. Dimensions: 9-3/4"Wx17"Lx4"D. Outside flange dimensions: 12"Wx19-1/2"L.



Order #	Mfg. #	Sugg.Ret.
5204565	100RTMP	\$62.50

R&R DESIGN INC. EASY TROLL PEDAL MOUNT

Solid aluminum powder coated construction. All stainless hardware. Adjustable for your comfort during standing or seated fishing at any angle. Designed for any trolling motor pedal.



Order #	Mfg. #	Sugg.Ret.
5204497	100ETR	\$155.75



RAM-LINE® TROLLING MOTOR STABILIZERS

Safely and securely attach the shaft of your trolling motor to your boat. Accommodates shafts up to 2" in diameter.



Order #	Mfg. #	Kit Features	Sugg.Ret.
5204466	RAM-108-1	5-5/8" arm & hardware	\$49.99
5204467	RAM-108-1-D	9-1/8" arm & hardware	69.99



**ROD SAVER®
TROLLING MOTOR TIE-DOWN**

Specially designed for trolling motors. Keeps motor firmly mounted to boat and secure with less bouncing while traveling down lake.

Order #	Mfg. #	Length	Sugg.Ret.
5200760	TMS10	9" to 18"	\$11.25



**SPRINGFIELD
QUICK TROLL TROLLING MOTOR SUPPORT**

Allows for quick & easy removal of trolling motor. Mounting plate is 5-1/2"x20-1/2". Pre-drilled for MotorGuide trolling motors with 07 & 16 mounts. Also, retro-fits 01 & 15. Step pad covers included.

Order #	Mfg. #	Sugg.Ret.
5202148	1940055	\$90.99



**SWIVL-EZE®
TROL-LOCK**

Allows quick removal of motor in seconds. Perfect for fish & ski & pontoon boats. 5-1/2"x20-1/2" black powder-coated base with 5-1/2" diameter mounting plates. Pre-drilled.

Order #	Mfg. #	Fits	Sugg.Ret.
5200332	5000	M/Guide 01, 07, 16 & 15 mnts.	\$119.25
5201492	5650	M/Guide 20, 20.5, 25 & 21 mnts.	180.75



**T-H MARINE
TROLLING MOTOR & CHARGER
POWER PLUG & RECEPTACLE**

Heavy-duty use, handles high amps. Water tight seal. Gold contacts. Original equipment on Ranger® boats. Handles 12 or 24-volt systems.

Order #	Mfg. #	Type	Sugg.Ret.
5201588	TMBMP-1-DP	Plug	\$29.99
5201589	TMFR-1-DP	Receptacle	46.25



**T-H MARINE
TROLLING MOTOR MOUNT**

Cast aluminum bracket, marine wood mounting block. Designed for clamp-on type electric trolling motors. NOTE: Maximum 36 lb. thrust. Motor must be removed & stowed before operating boat or trailering. NOT designed for OB's of any horsepower.

Order #	Mfg. #	Sugg.Ret.
5200205	TMM-1-DP	\$57.25



**T-H MARINE
TRANSDUCER MOUNTING KIT**

Mounts transducer to trolling motor gear case. One 4" stainless steel clamp secures transducer. Includes 12 ties to secure cables.

Order #	Mfg. #	Sugg.Ret.
5201171	TMK-1-DP	\$9.99



**T-H MARINE
SURE FOOT™
TROLLING MOTOR SWITCH**

For electric trolling motors. Rated to 50 AMPS D.C. 15° tilt angle for ease of operation.


Order #	Mfg. #	Sugg.Ret.
5200202	FCS-2-DP	\$19.75



**T-H MARINE
EXTENDER**

Designed for electric trolling motors. Easily installs on 1"x1-1/8" diameter shaft. Cast aluminum with SS shaft. Adjusts from 0"-30" long.

Order #	Mfg. #	Sugg.Ret.
5200204	EX-1-DP	\$76.99



**TRAC®
TROLLING MOTOR
CONNECTOR KITS**

Kit includes (2) plugs/connectors, 1.5" round hole adapter, U-braket, & 10" tin-plated connection wires. High current amp capacity. Strain relief seals wire & adds durability to the connector. Weatherproof connection w/soft seals. Snal-lock connection - holds connectors together w/6 lb. of force, yet pulls free if power wire is ripped away. Long bolts for thicknesses up to 1-1/8".

Order #	Mfg. #	Wire	Capacity	Sugg.Ret.
5204914	T10136	8 Ga.	80 amp	\$21.99
5204915	T10137	10 Ga.	60 amp	19.99



**TRAC®
TROLLING MOTOR PLUGS**

One plug w/10" lead wires.

Order #	Mfg. #	Wire	Sugg.Ret.
5204916	T10138	8 Ga.	\$10.99
5204917	T10139	10 Ga.	9.99



Trolling Motors
Audio/ Instruments
Depth Finders/GPS
Vests/ Cushions
Water Sports
Safety/ Optics
Boat Access.
Mooring/ Docking
Hardware
Lighting
Boat Seats
Boat Covers
Fuel
Trailers/ ATV Access.
Pumps
Electrical
Maintenance
Controls/ Steering
Motor Access.
Camping
Cutlery

